



PRODUCT NUMBER: 2397200

# **PICGUARD TM**

Puncture resistant underglove



#### Overview

#### **Reference Number**

2397200

#### **Product Type**

Gloves

#### Range

cutandpunctureprotection

#### Line

Cut and Stab resistant

#### **Brand**

Sperian

#### Brand formerly known as

PERFECT FIT

#### Industry

• Administration • Army - Defence • Fishing • Services • Utilities

#### **Product Use**

All activities with a high risks of needle stick or puncture (Gardening, fish industry, apparel...)

#### Features & Benefits

#### **Feature**

Para aramid: cutting protection

Ceramic PU coating: Needle stick & Puncture resistant

Coolmax Polyester: Lightweight, breathable

Viscose polyester lining: Bacteriostatic and heat regulating

Ergonomic design : sensitive to touch

Colour: visibility

Thickness of 0.5mm: Comfort and dexterity Washable: Yes

Label: Nominative

Loop: To hang on to clothing or support.

#### **Technical Description**

#### Description

CE CATEGORY: II intermediary risks In accordance with standards. EN 420-03 Basic standards EN 388-03 Mechanical hazards

ASTM 1342: American certification against needle stick and puncture

#### CHARACTERISTICS:

Bacteriostatic, heat regulating polyester viscose jersey lining

Para-aramid + ceramic polyurethane coating

Length: 27 cm

#### **Product Technology**

Cut & Sewn

#### Fiber

Coolmax and para aramid + ceramic polyurethane coating

#### Glove/liner color

Blue and orange

#### Length

27 cm

#### **Harmlessness**

In conformity with the European standards.

#### Sizes

M (7/8), L (9/10) and XL (10/11)

# EN 407 - Heat and/or Fire

Behaviour and/or fire	n/a
Resistance to contact heat	n/a
Resistance to convective heat	n/a
Resistance to radiant heat	n/a
Resistance to small metal splashes	n/a
Resistance to molten metal splashes	n/a

# **EN 388 - Mechanical Hazards Abrasion Resistance**

Abrasion resistance	4
Cutting resistance	4
Tear resistance	4
Puncture resistance	4

# **EN 511- Protection in cold temperatures:**

Resistance to conductive cold	n/a
Resistance to contact cold	n/a
Water permeability	n/a

# EN 381-7

Chainsaw protection	n/a
---------------------	-----

### EN 12477

Protective gloves for welders	n/a
-------------------------------	-----

# **ASTM F1342**

ANSI Level Puncture Resistance Conform to ASTM F1342

# **Packaging Label**

#### **Tagging**

Sperian 2397200 L EN 420 EN 388 : 4444 ASTM 1342

Certifications

■ E.C. Declaration of Conformity

**EC Category PPE** 

2

**EC** Attestation

AET 2397200 Picguard

#### 2397200 Picguard

# Photos & Images We're sorry, there are no images available at this time. Care Instructions This article can be cleaned. For cleaning instructions, please contact Sperian Protection Gloves.



View other Sperian Sites © 2010 Sperian Protection